



# Stair Trac

Portable Wheelchair Lift



# Technical Information

### **Specifications**

Load Capacity	150 kg (330 lbs)	
Weight	59 kg (130 lbs)	
Speed	Up: 6.1 meters (20 ft) per minute  Down: 10.7 meters (35 ft) per minute	
Operating Controls	Constant pressure drive control switch	
Motor	12V DC	
Batteries	2 x 6V - 20A hours	
Maximum Charge Rate	4 amp	
Optimum Stair Angle	35°	
Typical Battery Charge Capacity	650 stairs	

#### **Features**

- Attaches to most standard manual wheelchairs with push handles
- Robust battery fully charged it can carry 150 kg (330 lbs) up 30 flights of stairs
- Works on virtually any indoor or outdoor stairway
- Stable and self supporting
- Durable steel reinforced rubber tracks grip stairs securely
- Detachable support handle for compact storage and easy transport
- Quick release safety belt
- Key switch controls unauthorized use
- Rechargeable batteries and charger
- Optional Vehicle Loading Ramp (see opposite page)

#### **Benefits**


- An economical alternative to stairway lifts and elevators
- May be used on several different stairways
- Provides accessibility where power is unavailable
- Stores easily when not in use
- Requires minimal maintenance
- Available immediately
- 5 year limited warranty

# **Dimensions**

# **Assembled Equipment Dimensions**

Height	903 mm (35 5/8")	
Length	1453 mm (57 1/4")	
Width	644 mm (25 3/8")	

# **Clearance Dimensions**



## Required Clearances

This diagram (left) shows typical clearances required on turnback stairways. Dimensions vary slightly with stairway width and operator experience.

# **Optional Loading Ramp**



The optional vehicle loading ramp allows the Stair-Trac to be easily and safely loaded and unloaded from vehicles using the drive motor.





# Garaventa Lift

PO Box 1769 · Blaine, WA · 98231-1769 · USA **T** 604 594 0422 · **T** 800 663 6556 (toll free North America) **E** info@garaventalift.com ⋅ **I** www.garaventalift.com



© Garaventa Lift. As we are continuously improving our products, specifications outlined in this brochure are subject to change without notice.



Printed in Canada 15803-L-PB-EN